

Date:
Name:
Mobile:
E-mail:



Rybacka Street 14
86-300 Grudziądz, Polska
site: www.riverfox.pl/eng
mail: boats@riverfox.pl

Boat price:

6 038 €

VAT TAX INCLUDED

The price includes all marked elements & standard colors.

The configuration does not constitute an offer within the meaning of the Civil Code (Art. 71, Art. 63)

RIVERFOX 400

STANDARD COLORS:

Deck – top: *Light grey* (RAL7040) or *Dark grey* (RAL7015)

Deck: *Light grey* (RAL7040) or *Dark grey* (RAL7015)

Hull – top: *Red* (RAL3020) - *Cherry purple* (RAL3004) - *Blue* (RAL5005) - *Light blue* (RAL5012) - *Yellow* (RAL1018)
- *Orange* (RAL2003) - *White* (RAL9010) - *Light grey* (RAL7040) - *Dark grey* (RAL7015) -- **CHOOSE YOUR COLOR!**

Hull – bottom: *Dark grey* (RAL7015)

Bottom: *Dark grey* (RAL7015)

On standard **Deck-top** and **Deck** have same color. Other color combinations are for an extra charge.

If you would like a different color combination, write about it in the e-mail. **Colors changes will be quoted!**

| | | |
|----|---|---|
| 1. | Lockers, retractable hinges: - No. 1 (middle rear) - technical locker (battery, pumps, fuel tank, installations), - No. 2 (left rear) - Livewell locker, - No. 3 (left) - equipped with the containers under the cover of the locker, - No. 4 (right rear) - for 2-parts rods, small paddle, etc. length 152cm, - No. 5 (front) - for rescue measures, bow electric motor battery holder, - No. 6 (bow) - anchors | ✓ |
| 2. | Livewell locker No. 4. - for living fish, capacity 45 liters with: - a water pump, - electrical installation, - automatic timer 40/240 sec, - water drain. | ✓ |
| 3. | - Transom with a set of protectors for outboard engine (column S) - max. EP - 30 HP (max. weight 80 kg), - Possibility to mount the electric motor on the bow, - Front shelves for baits, - Rubing strake with INOX ending, - Front INOX mooring ear + 2x rear INOX mooring ears, - INOX cleats - 4 PCs, - Handrelings 2x 50cm + 2x 80cm, - Water outflow with a plug from the displacement chamber, from the engine compartment and from the locker, - Possibility to mount fishfinder transducer in locker No. 1 (read through the hull - applies to transducers up to 200 kHz), - Mounting place (bay) of Garmin, Lowrance Totalscan, Lowrance Active Imaging 3in1 or StructuScan 3D transducers under the hull, - Lure boxes under locker covers No. 3 & 4, - Magnetic holder (3 Pcs) for metall equipment, - Quiet closing set for locker covers No. 2, 3 & 4, - Deck carpet - waterproof velvet (the lures don't catch on carpet). | ✓ |
| 4. | Outflow from the deck with: - an automatic bilge pump, - switch on the electrical panel, - electrical installation. | ✓ |
| 5. | Casting seat, height 16" (40cm), removable - 2 PCs, it is possible to exchange it for any other for an additional fee. | ✓ |

| | | |
|-----|---|------------|
| 6. | Power installation for the electric motor 12V from locker No.5: - the cable CU 10mm ² , - 60A connector for the electric motor cable, - electric motor battery holder (175x350x240mm), - battery clumps. | ✓ |
| 7. | Electrical set: - navigation LED light, - horn, - 12V socket, - 2x USB 5V socket, - lighting deck LED - 3 PCs, - set of ON-OFF switches and fuses. | ✓ |
| 8. | - Starter battery holder (dim. 175x250x200) in the rear side locker No. 2 - Starter battery switch, - Battery clumps. | ✓ |
| 9. | - Automatic charger (12V-10A) for charging 2 batteries built into the boat, IP68 - DVSR - it allows you to charge 2 batteries from the outboard engine | ✓ |
| 10. | Small paddle | ✓ |
| 11. | Transport cover for boat | ✓ |
| 12. | Measure for check size of fish | ✓ |
| 13. | RAM Mount articulated holder 5,6" | ASK DEALER |
| 14. | Mounting bracket for GARMIN or Lowrance transducer under the hull | ASK DEALER |
| 15. | Motorguide Xi5/Xi3 Removable Mounting Plates - aluminum + 60A connectors | ASK DEALER |
| 16. | Motorguide Xi5/Xi3 Removable Mounting Plates - nylon + 60A connectors | ASK DEALER |
| 17. | Additional protectors set for electric motor on transom to pos. 6 | ASK DEALER |
| 18. | Seat with backrest 1 or 2 pieces (without base to pos. 5) | ASK DEALER |
| 19. | Upper deck with seat base | ASK DEALER |
| 20. | Pillow for upper deck (to pos. 19) | ASK DEALER |
| 21. | Pillow for front part of boat (without upper deck) | ASK DEALER |
| 22. | Pillow for left side (locker No. 2) | ASK DEALER |
| 23. | Pillow for right side (locker No. 3) | ASK DEALER |
| 24. | Helman's pillow. | ASK DEALER |
| 25. | Holder for 3 rods. | ASK DEALER |
| 26. | Rods holder with fastening on the left rear side of the boat. | ASK DEALER |
| 27. | SCOTTY sockets for fishing rod holders and other tools SCOTTY - 4 PCs. | ASK DEALER |
| 28. | SCOTTY 281 trolling holder (to pos. 27) - 1 to 4 Pcs. | ASK DEALER |
| 29. | SCOTTY ROD MASTER trolling holder (to pos. 26) - 1 to 4 Pcs. | ASK DEALER |
| 30. | SCOTTY 140 Sonar Transducer Side Holder (to pos. 26) | ASK DEALER |
| 31. | SCOTTY fender rings 2 pack (to pos. 26) - 1 or 2 sets. | ASK DEALER |
| 32. | Pneumatic fender 12x45 cm (to pos. 30) - 1 to 4 PCs. | ASK DEALER |
| 33. | Ladder INOX | ASK DEALER |
| 34. | Pneumatic life jacket AQUARIUS 150N, automatic, ISO12402-3. | ASK DEALER |
| 35. | Life jacket - size BABY - XXL. | ASK DEALER |
| 36. | Safety vest - size XS - XXL. | ASK DEALER |

| | | |
|-----|--|------------|
| 37. | SCOTTY removable anchor lock, front. | ASK DEALER |
| 38. | SCOTTY removable anchor lock, rear. | ASK DEALER |
| 39. | Folding anchor 2,5 kg | ASK DEALER |
| 40. | Anchor - rubber weight 5 kg. | ASK DEALER |
| 41. | Anchor - rubber weight 9 kg. | ASK DEALER |
| 42. | Anchor - rubber weight 14 kg. | ASK DEALER |
| 43. | Anchor - type Riverfox 8,5 kg. | ASK DEALER |
| 44. | Anchor - type Riverfox 11,5 kg. | ASK DEALER |
| 45. | Rope Ø8 mm - to anchor or mooring (1 = 15m; 2 = 30m; 3 = 45m; 4 = 60m) | ASK DEALER |
| 46. | NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - HONDA | ASK DEALER |
| 47. | NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - SUZUKI | ASK DEALER |
| 48. | NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - YAMAHA | ASK DEALER |
| 49. | Boat trailer with approval certificate, maximum permissible mass 500kg or 750kg: - galvanized, - powder coated, - all LED lights, - roller system, - transom straps, - support wheel, - belt winch, - outboard engine support. | ASK DEALER |