

Date:
Name:
Mobile:
E-mail:



Rybacka Street 14
86-300 Grudziądz, Polska
site: www.riverfox.pl/eng
mail: boats@riverfox.pl

Boat price:

12 876 €

VAT TAX INCLUDED

The price includes all marked elements & standard colors.

The configuration does not constitute an offer within the meaning of the Civil Code (Art. 71, Art. 63)

RIVERFOX C440

WITH CONSOLE

STANDARD COLORS:

Deck – top: *Light grey* (RAL7040) or *Dark grey* (RAL7015)

Deck: *Light grey* (RAL7040) or *Dark grey* (RAL7015)

Console: *Red* (RAL3020) - *Cherry purple* (RAL3004) - *Blue* (RAL5005) - *Light blue* (RAL5012) - *Yellow* (RAL1018)

- *Orange* (RAL2003) - *White* (RAL9003) - *Light grey* (RAL7040) - *Dark grey* (RAL7015) -- **CHOOSE YOUR COLOR!**

Hull – top: *Red* (RAL3020) - *Cherry purple* (RAL3004) - *Blue* (RAL5005) - *Light blue* (RAL5012) - *Yellow* (RAL1018)

- *Orange* (RAL2003) - *White* (RAL9003) - *Light grey* (RAL7040) - *Dark grey* (RAL7015) -- **CHOOSE YOUR COLOR!**

Hull – bottom: *Dark grey* (RAL7015)

Bottom: *Dark grey* (RAL7015)

On standard **Deck-top** and **Deck** have same color. Other color combinations are for an extra charge.

If you would like a different color combination, write about it in the e-mail. **Colors changes will be quoted!**

1.	Steering console with windshield: - Transmission kit with tie, - Steering wheel, - Premium High Back helmsman's seat, seat base with storage. - Space for mounting a 10" fishfinder on the console.	✓
2.	Lockers, retractable hinges : - No. 1 (middle rear) - technical locker (battery, pumps, fuel tank, installations); - No. 2 (left rear) - Livewell locker, cap. 75 liters - No. 3 (right side) - for rods, lenght 240 cm; - No. 4 (front) - for rescue measures, bow electric motor battery holder; - No. 5 (bow) - for anchors, mooring ropes, etc. with drainage. Lockers 1, 2, 3 & 4 equipped with the containers under the cover of the locker. Pneumatic cylinders under the lockers covers No. 1 to 4	✓
3.	- Transom with a set of protectors for outboard engine (column L) - max. EP - 60 HP (max. weight 118 kg), - Rubing strake with INOX ending, - Front INOX mooring ear + 2x rear INOX mooring ears, - INOX cleats - 4 PCs, - Handrelings 2x 50cm + 2x 80cm, - Water outflow with a plug from the displacement chamber, from the engine compartment and from the locker, - Easy assembly of the bow engine, - Mounting place (bay) of Garmin, Lowrance Totalscan, Lowrance Active Imaging 3in1 or StructuScan 3D transducers under the hull, - Drink holder - 2 PCs.	✓
4.	- Automatic bilge pump in locker No.1, electrical installation, on-off switch and drainage, - Navigation top LED light, - Navigation bow red+green LED light, - Horn, - 12V + 2x USB 5V sockets, - Lighting deck LED, - Set of ON-OFF switches and fuses, - Holder for Starting Battery with mounting bottom (footer), - Starter battery switch with wiring + battery clutch, - Automatic LED lights in lockers No. 1, 2, 3 & 4.	✓
5.	Premium High-back passanger seat, swivel & removable post.	✓

6.	Carpet on low deck	✓
7.	Lining on the upper front deck and the lockers covers	✓
8.	Livewell locker No. 2 - for living fish, capacity 75 liters, with: - 2 water pumps (in & out), - electrical installation, - automatic timer 40/240 sec - water drain.	✓
9.	Power installation for the electric bow motor 12V: - The cable CU 10mm2, - 60A connector for the electric motor cable, - Battery holder (175x370x240mm) in the locker No. 5, - Clamps, - Socket 12V + 2x USB, - Safety fuse, - DVSR, - Trim button for outboard engine, - Automatic charger for 2x battery 12V with power cable built into the boat (ip68).	✓
10.	Power installation for the electric bow motor 24V: - The cable CU 10mm2, - 60A connector for the electric motor cable, - 2x battery holder (175x370x240mm) in the locker No. 7, - Clamps, - Socket 12V + 2x USB, - Safety fuse, - Trim button for outboard engine, - Automatic charger for 3x battery 12V with power cable built into the boat (ip68)	10 €
11.	Stationary fuel tank 48 liters with holder, INOX fuel filler, fuel sensor, vent.	✓
12.	Fire extinguisher 2 kg - marine version, with handle.	✓
13.	First aid kit	✓
14.	Small paddle - 120 cm	✓
15.	Magnetic holder (3 Pcs) for metall equipment.	✓
16.	Measure for check size of fish	✓
17.	Transport cover for boat	✓
18.	Carpeted upper extra deck	ASK DEALER
19.	Casting seat on the upper deck, pneumatically adjustable, removable.	ASK DEALER
20.	Casting seat on the cover of locker No. 1, pneumatically adjustable, removable.	ASK DEALER
21.	Lockers key locks, zink alloy, 4 Pcs	ASK DEALER
22.	RAM Mount holder 5,6" for sonar screen.	ASK DEALER
23.	Mounting bracket for GARMIN or Lowrance transducer under the hull	ASK DEALER
24.	Hydraulic transmission kit (instead of transmission kit)	ASK DEALER
25.	Controle remote ties - 2 Pcs set	ASK DEALER
26.	Fuel gauge to pos. 11	ASK DEALER
27.	Motorguide Xi5/Xi3 Removable Mounting Plates - aluminum	ASK DEALER
28.	Motorguide Xi5/Xi3 Removable Mounting Plates - nylon	ASK DEALER
29.	Holder for 3 rods.	ASK DEALER
30.	SCOTTY sockets for fishing rod holders and other tools SCOTTY - 4 PCs.	ASK DEALER

31.	SCOTTY 281 trolling holder (to pos. 30) - 1 to 4 Pcs.	ASK DEALER
32.	SCOTTY ROD MASTER trolling holder (to pos. 30) - 1 to 4 Pcs.	ASK DEALER
33.	SCOTTY fender rings 2 pack (to pos. 30) - 1 or 2 sets.	ASK DEALER
34.	Pneumatic fender 12x45 cm (to pos. 33) - 1 to 4 PCs.	ASK DEALER
35.	Ladder INOX	ASK DEALER
36.	Pneumatic life jacket AQUARIUS 150N, automatic, ISO12402-3.	ASK DEALER
37.	Life jacket - size BABY - XXL.	ASK DEALER
38.	Safety vest - size XS - XXL.	ASK DEALER
39.	SCOTTY removable anchor lock, front.	ASK DEALER
40.	SCOTTY removable anchor lock, rear.	ASK DEALER
41.	Folding anchor 2,5 kg	ASK DEALER
42.	Anchor - rubber weight 5 kg.	ASK DEALER
43.	Anchor - rubber weight 9 kg.	ASK DEALER
44.	Anchor - rubber weight 14 kg.	ASK DEALER
45.	Anchor - type Riverfox 8,5 kg.	ASK DEALER
46.	Anchor - type Riverfox 11,5 kg.	ASK DEALER
47.	Rope Ø8 mm - to anchor or mooring (1 = 15m; 2 = 30m; 3 = 45m; 4 = 60m)	ASK DEALER
48.	NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - HONDA	ASK DEALER
49.	NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - SUZUKI	ASK DEALER
50.	NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - YAMAHA	ASK DEALER
51.	Boat trailer with approval certificate, maximum permissible mass 500kg or 750kg: - galvanized, - powder coated, - all LED lights, - roller system, - transom straps, - support wheel, - belt winch, - outboard engine support.	ASK DEALER