

Date:  
Name:  
Mobile:  
E-mail:



Rybacka Street 14  
86-300 Grudziądz, Polska  
site: [www.riverfox.pl/eng](http://www.riverfox.pl/eng)  
mail: [boats@riverfox.pl](mailto:boats@riverfox.pl)

Boat price:

**17 280 €**

VAT TAX INCLUDED

The price includes all marked elements & standard colors.

The configuration does not constitute an offer within the meaning of the Civil Code (Art. 71, Art. 63)

## RIVERFOX C470 BASS

WITH CONSOLE

### STANDARD COLORS:

**Deck – top:** *Light grey* (RAL7040) or *Dark grey* (RAL7015)

**Deck:** *Light grey* (RAL7040) or *Dark grey* (RAL7015)

**Console:** *Red* (RAL3020) - *Cherry purple* (RAL3004) - *Blue* (RAL5005) - *Light blue* (RAL5012) - *Yellow* (RAL1018)

- *Orange* (RAL2003) - *White* (RAL9010) - *Light grey* (RAL7040) - *Dark grey* (RAL7015) -- **CHOOSE YOUR COLOR!**

**Hull – top:** *Red* (RAL3020) - *Cherry purple* (RAL3004) - *Blue* (RAL5005) - *Light blue* (RAL5012) - *Yellow* (RAL1018)

- *Orange* (RAL2003) - *White* (RAL9010) - *Light grey* (RAL7040) - *Dark grey* (RAL7015) -- **CHOOSE YOUR COLOR!**

**Hull – bottom:** *Dark grey* (RAL7015)

**Bottom:** *Dark grey* (RAL7015)

On standard **Deck-top** and **Deck** have same color. Other color combinations are for an extra charge.

If you would like a different color combination, write about it in the e-mail. **Colors changes will be quoted!**

1.	Steering console with windshield: - Transmission kit , - Steering wheel, - Chair bases with thermal storage, - Helmsman and passenger Premium High Back seats - Space for mounting a fishfinder on the console.	
2.	Lockers 8 PCs, retractable stainless hinges: - Middle rear locker No. 1 - technical (for fuel tank, batteries, pumps, installations), - Rear lockers left & right No. 2L & 2R, - Middle rear locker No. 3 - LIVEWELL, capacity 85 liters, - Central front locker No. 4 - for the bow engine battery holder, for life-saving equipment, etc. - Right front locker No. 5 - for life-saving equipment, etc., - Left front locker No.6 - for rods, length 220 cm, - Bow locker No. 7 - with water drain - for anchors, mooring ropes, etc. Closets for baits, trinkets under locker covers No.1, 2R, 2L & 3. Pneumatic cylinders under the lockers covers No. 1 to 6 (7 pieces).	
3.	Livewell locker No. 3 - for living fish, capacity 85 liters, with: - 2 water pumps (in & out), - electrical installation, - automatic timer 40/240 sec - water drain.	
4.	- Transom with a set of protectors for outboard engine (column L) - max. EP - 70 HP (max. weight 120 kg), - Rubing strake with INOX ending - Front INOX mooring ear + 2x rear INOX mooring ears - INOX cleats - 4 PCs - Water outflow with a plug from the displacement chamber, from the engine compartment and from the locker, - Easy assembly of the bow engine - Mounting place (bay) of Garmin, Lowrance Totalscan, Lowrance Active Imaging 3in1 or StructuScan 3D transducers under the hull.	

5.	<ul style="list-style-type: none"> <li>- Transom with a set of protectors for outboard engine (column S) - max. EP - 30 HP (max. weight 80 kg)</li> <li>- Rubing strake with INOX ending</li> <li>- INOX mooring ears (3 PCs set)</li> <li>- INOX 125 cleats - 4 PCs</li> <li>- Water outflow with a plug from the displacement chamber, from the engine compartment and from the locker No. 1</li> </ul>	✓
6.	Casting seat on the upper deck, SWIVL-EZE Lock'N-Pin 3/4" pneumatically adjustable in the 61-76 cm range, removable.	✓
7.	Casting seat on the rear deck, SWIVL-EZE Lock'N-Pin 3/4", removable.	✓
8.	Lining on the upper front and rear deck, on the locker covers and carpet on the floor.	✓
9.	<p>Front panel:</p> <ul style="list-style-type: none"> <li>- power installation for an electric bow motor 12V,</li> <li>- the cable CU 16mm<sup>2</sup>, 60A connector</li> <li>- battery holder (175x370x240mm) in the locker No. 1, clamps,</li> <li>- socket 12V + 2x USB,</li> <li>- trim button for outboard engine,</li> <li>- automatic charger for 2x battery 12V with power cable built into the boat (ip68),</li> <li>- DVSR.</li> </ul>	✓
10.	<p>Stationary fuel tank 48L:</p> <ul style="list-style-type: none"> <li>- with holder,</li> <li>- INOX fuel filler,</li> <li>- fuel sensor,</li> <li>- vent.</li> </ul>	✓
11.	Magnetic holder (3 Pcs) for metall equipment.	✓
12.	Fire extinguisher - sea version, 2 kg	✓
13.	Measure for check size of fish	✓
14.	Small paddle - 120 cm	✓
15.	Transport cover for boat	✓
16.	RAM Mount holder 5,6" for sonar screen.	ASK DEALER
17.	Mounting bracket for GARMIN or Lowrance transducer under the hull	ASK DEALER
18.	Hydraulic transmission kit (instead of transmission kit)	ASK DEALER
19.	Controle remote ties - 2 Pcs set	ASK DEALER
20.	Fuel gauge to pos. 10	ASK DEALER
21.	Motorguide Xi5/Xi3 Removable Mounting Plates - aluminum	ASK DEALER
22.	Motorguide Xi5/Xi3 Removable Mounting Plates - nylon	ASK DEALER
23.	Holder for 3 rods.	ASK DEALER
24.	SCOTTY sockets for fishing rod holders and other tools SCOTTY - 4 PCs.	ASK DEALER
25.	SCOTTY 281 trolling holder (to pos. 24) - 1 to 4 Pcs.	ASK DEALER
26.	SCOTTY ROD MASTER trolling holder (to pos. 24) - 1 to 4 Pcs.	ASK DEALER
27.	SCOTTY fender rings 2 pack (to pos. 24) - 1 or 2 sets.	ASK DEALER
28.	Pneumatic fender 12x45 cm (to pos. 27) - 1 to 4 PCs.	ASK DEALER
29.	Ladder INOX	ASK DEALER
30.	Pneumatic life jacket AQUARIUS 150N, automatic, ISO12402-3.	ASK DEALER
31.	Life jacket - size BABY - XXL.	ASK DEALER
32.	Safety vest - size XS - XXL.	ASK DEALER

33.	SCOTTY removable anchor lock, front.	ASK DEALER
34.	SCOTTY removable anchor lock, rear.	ASK DEALER
35.	Folding anchor 2,5 kg	ASK DEALER
36.	Anchor - rubber weight 5 kg.	ASK DEALER
37.	Anchor - rubber weight 9 kg.	ASK DEALER
38.	Anchor - rubber weight 14 kg.	ASK DEALER
39.	Anchor - type Riverfox 8,5 kg.	ASK DEALER
40.	Anchor - type Riverfox 11,5 kg.	ASK DEALER
41.	Rope Ø8 mm - to anchor or mooring (1 = 15m; 2 = 30m; 3 = 45m; 4 = 60m)	ASK DEALER
42.	NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - HONDA	ASK DEALER
43.	NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - SUZUKI	ASK DEALER
44.	NMEA2000 Starter + interface for displaying engine parameters on the fishfinder screen - YAMAHA	ASK DEALER
45.	Boat trailer with approval certificate, maximum permissible mass 500kg or 750kg: - galvanized, - powder coated, - all LED lights, - roller system, - transom straps, - support wheel, - belt winch, - outboard engine support.	ASK DEALER